



3025E

Key Specs

Engine Model - 3TNV88F-EPJT2

Engine Family - EYDXL1.64NDA, FYDXL1.64NDA, GYDXL1.64NDA

Displacement - 100 cu in.

Rated Engine Power - 24 hp: (SAE J1995)

Rated Engine Power - 25 PS

Machine Configuration

Wheel or Track Configuration - Wheel

Drive Type - 4WD

Engine

Engine Model - 3TNV88F-EPJT2

Engine Family - EYDXL1.64NDA, FYDXL1.64NDA, GYDXL1.64NDA

Emissions Certifications - Final Tier 4

Displacement - 100 cu in.

Aspiration - Natural

Number of Cylinders - 3

Cylinder Liners - Cast-in-block

Rated Engine Speed - 2400 rpm

Rated Engine Power - 24 hp: (SAE J1995)

Rated Engine Power - 25 PS

Compression Ratio - 19.1:1

Engine

Lubrication - Pressurized

Cooling System Type - Water pump

Fuel Type - Diesel

Air Cleaner Type - Dual element

Transmission

Creeper - No

Cruise Control - Optional

Rear Power Take-Off (PTO)

PTO Category - 540 rpm

Engagement Method - Independent

PTO Clutch - Wet disk

Brake (For Mid and Rear PTO) - Wet disk

Rear Hitch

Draft Control Sensing - Position control

Hydraulics

Hydraulic System Type - Open center

Number of Rear Selective Control Valves (SCVs) - 2

Rear Axle

Final Drive - Spur gear

Steering & Brakes

Primary Brakes - Wet disk

Tires

Front Tires Size - R1 Bar: 7-14; R3 Turf: 27x8.5-15; R4 Industrial: 25x8.5-14 / 27x8.5-15

Electrical System

Alternator Capacity - 55 amp

Operator Station

Gearshift Location - Left-hand side